

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/099,883	03/14/2002	John H. Oates	0102323-00099	5431
21125	7590 07/12/2005	•	EXAMINER	
	MCCLENNEN & FISH	VLAHOS, SOPHIA		
	ADE CENTER WEST RT BOULEVARD		ART UNIT	PAPER NUMBER
BOSTON, 1	MA 02210-2604		2637	
			DATE MAILED: 07/12/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/099,883	OATES ET AL.				
Office Action Summary	Examiner	Art Unit				
	SOPHIA VLAHOS	2637				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 M	arch 2002.					
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.					
•—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		·				
 4) Claim(s) 1-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-12 and 15 is/are rejected. 7) Claim(s) 13 and 14 is/are objected to. 8) Claim(s) are subject to restriction and/o 	vn from consideration.					
Application Papers						
9)⊠ The specification is objected to by the Examine	r					
10) ☐ The drawing(s) filed on 3/14/2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	· · · · · · · · · · · · · · · · · · ·					
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:					

Art Unit: 2637

DETAILED ACTION

Drawings

The specification refers to base station as block "100" and the rake modems as block "102" respectively. Figure 1 designates the rake modem as "100" and the base station as "112". It is recommended to modify either the specification or Figure 1.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35
 U.S.C. 102 that form the basis for the rejections under this section made in this
 Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- 2. Claims 1,4,7 are rejected under 35 U.S.C. 102(a) as being anticipated by Hottinen et al. (U.S. 6,449,266).

With respect to claim 1, Hottinen et al., disclose a first processing element (Fig. 7, elements 80-83) which generates a matrix (hereinafter "gamma matrix") representing a correlation between a code associated with one user and those associated with one or more other users (column 9, line 20, column 11, lines 11-18).

A set of one or more second processing elements coupled with the first processing element (Fig. 8, element 62) the set of processing elements generating a matrix (hereinafter "R-matrix") representing cross-

Art Unit: 2637

correlations among user waveforms (Fig.8, element 73, column 8, lines 14-39).

A third processing element coupled with the set of processing elements, the further processing element generates symbol estimates (Fig.6, elements 63a-63c, column 11, lines 38-39).

With respect to claim 4, all the limitations of claim 1 were disclosed above by Hottinen et al., (U.S. 6,449,266). Hottinen et al., disclose a host controller coupled to each of the set of second processing elements (Fig. 8, element 55), the host controller generates a partitioning of the R-matrix (Fig.8, element 74), that partitioning divides the R-matrix into one or more portions based on a number of users and a number of available second processing elements (column 11, lines 45-52).

The host controller assigns to each second processing element within the set of second processing elements a portion of the R-matrix to generate according to the partitioning (Fig. 8, column 11, lines 25-29, 45-52). Each one of the set of second processing elements generates the assigned portion of the R-matrix according to the partitioning (Fig. 8, column 11, lines 25-29).

The host re-calculates the partitioning of the R-matrix when a user is added or removed from the spread spectrum system, and assigns a new

Art Unit: 2637

portion of the R-matrix to each second processing element within the set of second processing elements according to that new partitioning (column 11, lines 39-52).

With respect to claim 7, all the limitations of claim 1 were disclosed above by Hottinen et al., (U.S. 6,449,266). Hottinen discloses a host controller coupled with the first processing element, the set of processing elements, and the further processing element (Fig.6, element 55). The host controller synchronizes data flow between the first processing element and the set of second processing elements (column 11, lines 25-29), the host controller synchronizes data flow between the set of second processing elements and the third processing element (Fig. 6, element 55).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2,3,5,6,8-12,15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hottinen et al., (U.S. 6,449,266) in view of Hetrz et. al (U.S. 5,917,829).

Art Unit: 2637

With respect to claim 2, Hottinen et al., (U.S. 6,449,266) disclose all the limitations of claim 2 except a memory that is coupled to the fist processing element and the set of the second processing elements. The first processing element placing the gamma matrix in the memory for access by the set of second processing elements.

In the same field of endeavor, however, Hetrz et. al (U.S. 5,917,829) discloses a memory (Fig. 4, elements 33,34,35, column 12, lines 1-5) that is coupled to the first processing element and the set of second processing elements. Hertz et al., also disclose the first processing element placing the gamma matrix in the memory for access by the second processing elements. (Fig. 4, column 11, lines 55-60).

It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al.'s memory and the first processing element placing the gamma matrix in the memory for access by the second processing elements, because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

Regarding claim 3, Hottinen et al., discloses all the limitations of claim 3 except a multi-port data switch coupled to the first processing element and to the memory. The first processing element places the gamma matrix in

Art Unit: 2637

the memory via the data switch. Hetrz et. al (U.S. 5,917,829) discloses a multi-port data switch coupled to the first processing element and to the memory (column 11, lines 51-60). Hertz et al., disclose the above limitation without using the term "multi-port data switch", instead the terms "bus line" (column 11, line 56) and "each value of the matrix is directly fed..." (column 12, lines 56-60) are used and they can inherently function as a multi-port data switch. The first processing element places the gamma matrix in the memory via the data switch (column 11, lines 51-60). It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

With respect to claim 5, Hottinen et al., disclose all the limitations of claim 5 except a memory that is coupled to each of the processing elements in the set of second processing elements and the third processing element, and the set of second processing elements each placing its respective portion of the R-matrix in the memory for access by the third processing element. Hertz et al., disclose the above limitations (Fig. 4, column 11, lines 51-60). It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low

Art Unit: 2637

BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

With respect to claim 6, Hottinen et al., discloses all the limitations of claim 6, except a multi-port data switch coupled to each of the processing elements in the set of processing elements and to the memory, and each of the set of second processing elements placing its respective portion of the R-matrix in the memory via data switch. Hertz et al., disclose the above limitations (Fig.4, column 11, lines 51-60). It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

With respect to claim 8, Hottinen et al disclose a first element (Fig. 7, elements 80-83) which generates a matrix (hereinafter "gamma matrix") representing a correlation between a code associated with one user and those associated with one or more other users (column 9, line 20, column 11, lines 11-18).

A set of one or more second processing elements (Fig. 8, element 62) each of the processing elements within the set generates a portion of a matrix (hereinafter "R-matrix") representing cross-correlations among user waveforms (Fig.8, element 73, column 8, lines 14-39).

Art Unit: 2637

A third processing element the further processing element generates symbol estimates (Fig.6, elements 63a-63c, column 11, lines 38-39).

While Hottinen et al., are silent about a first processing element coupled with a multi-port data switch, a set of one or more second processing elements coupled with the multi-port data switch, a third processing element coupled with the multi-port data switch. Hetrz et. al (U.S. 5,917,829) discloses a multi-port data switch coupled to the first processing element and to the memory (column 11, lines 51-60). Hertz et al., disclose the above limitation without using the term "multi-port data switch", instead the terms "bus line" (column 11, line 56) and "each value of the matrix is directly fed..." (column 12, lines 56-60) are used and they can inherently function as a multi-port data switch.

It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

With respect to claim 9, Hottinen et al., disclose a host controller generating a partitioning of the R-matrix wherein the R-matrix is divided by the partitioning into one or more portions (Fig.8, element 74, column 11, lines 45-52). The host controller synchronizing the generation of the R-

Art Unit: 2637

matrix on the set of second processing elements such that each of the second processing elements within the set generates a portion of the R-matrix according to the partitioning (column 11, lines 25-29, 45-52). While Hottinen et al., are silent about the host controller coupled with the multi-port data switch and each of the second processing elements within the set coupled to the multi-port data switch, the second processing elements each placing it respective portion of the R-matrix in memory accessible by the third processing element. Hertz et al., (U.S. 5,917,829) Discloses the above limitations (column 11, lines 51-60, column 12, lines 1-5). It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

With respect to claim 10 Hottinen et al., disclose the host controller generating a new partitioning when a user is added or removed from the spread spectrum system (column 11, lines 45-52) and the set of second processors generating the portions of the R-matrix according to the new partitioning (column 11, lines 45-51).

With respect to claim 11 Hottinen et al., disclose the first processor updating the gamma matrix to reflect the addition or removal of a user from the system (Fig. 6, element 55, column 10, lines 50-63). While

Art Unit: 2637

Hottinen is silent about a memory coupled with the first processing element and the set of second processing elements and the first processor placing in the memory the gamma matrix. Hertz et al., discloses the limitation a memory coupled with the first processing element and the set of second processing elements (column 12, lines 1-5) and the first processor placing in the memory the gamma matrix (column 12, lines 56-60). It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

Regarding claim 12, Hottinen et al., disclose all the limitations of claim 12 except for a memory coupled with the set of second processing elements and the third processing element, the set of second processing elements placing in the memory the portion of the R-matrix. Hertz et al., disclose the above limitations (column 12, lines 1-5, column 11, lines 56-60) It would have been obvious to one of ordinary skill in the art at the time of the applicants invention to modify Hottinen et al., by incorporating Hertz et al. because it yields detected information with low BER at a relatively small computational effort (Hertz et al., column 3, lines 1-2).

Art Unit: 2637

With respect to claim 15, Hottinen et al., disclose the third processing element generates the symbol estimates based on a composition of the R-matrix (column 11, lines 38-44).

Allowable Subject Matter

5. Claims 13,14 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SOPHIA VLAHOS whose telephone number is 571 272 5507. The examiner can normally be reached on MTWRF 8:30-17:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JAY PATEL can be reached on 571 272 2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/099,883 Page 12

Art Unit: 2637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SV July 8, 2005

> JAY K. PATEL SUPERVISORY PATENT EXAMINER